

Whale Manual Bilge Pump Range

		Long Life Diecast Alloy Range		Tough and Lightweight Polypropylene Range					Compact Range			Portable Range	
1. Select Boat Type (by length)	0 - 6m (0 - 20 ft)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6 - 12m (20ft - 40ft)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Secondary bilge pump only
	12 - 24m (40ft - 80ft)	✓	✓	✓	✓	✓	Secondary bilge pump only	✓	Secondary bilge pump only	Secondary bilge pump only	✓	✓	✓
2. Appliance, Performance & Port Size	Pump Usage	Emergency Bilge Pump Out	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Holding Tank Pump Out				✓	✓	✓	✓				
		Toilet Flush		✓	✓	✓	✓	✓	✓	✓			
		Water Ballast Pump	✓	✓	✓	✓	✓			✓			
	Approvals	Life Boats Approval • Approved by Lloyds (MCA)					Life Boats Approval • Approved by Lloyds (MCA) and USCG (MK5 Universal MCA - Size 2) (MK5 Double Acting - Size 3)						
3. Select Pump Model	Performance Data (at 45 strokes per minute)		75 ltrs (20 US gals)	41 ltrs (11 US gals)	67 ltrs (18 US gals)	42 ltrs (11 US gals)	64 ltrs (17 US gals)	25 ltrs (7 US gals)	37.5 ltrs (9.9 US gals)	32 ltrs (9 US gals)	32.75 ltrs (9 US gals)	43.5 ltrs (11.5 US gals)	19 ltrs (5 US gals)
	Port Size		1.5" (38mm)	1.5" (38mm)	1.5" (38mm)	1.5" (38mm)	1.5" (38mm)	1" (25mm)	1.5" (38mm)	1" (25mm)	1" (25mm)	1.5" (38mm)	19" (483mm) 27" (685mm)
	Images (Not to Scale)												
	Product Description		Gusher 30	Gusher 10	Gusher Titan	Mk 5 Universal	Mk 5 Double Acting	Gusher Urchin	Compac 50	Smartball	Easyballer		
	Product Code	On Deck	031420	031320	031220	010050	010066	031010 (Fixed Handle) 031020 (Removable Handle)	/	/	/	/	/
		On Bulkhead Thru Deck	031410	031330	031230		special order 010065	031030	010200	031510	/	/	/
		Portable	/	/	/	/	/	/	/	/	031645 Short Barrel	031665 Long Barrel	
Service Kits		038012 Service Kit for Gusher 30	038016 Service Kit for Gusher 10 (Neoprene) 038017 Service Kit for Gusher 10 (Nitrile)	038024 Gusher Titan Service Kit (Neoprene) 038025 Gusher Titan Service Kit (Nitrile)	010350 Service Kit for Mk 5 Universal	010355 Service Kit for Mk 5 D Acting - contains: Diaphragms, Valves and Circlips 9010109 Rocker arm assembly 9010111 Clamping plate and nut kit	038018 Service Kit for Gusher Urchin (Neoprene) 038019 Service Kit for Gusher Urchin (Nitrile)	010210 Service Kit for Compac 50	038010 Service Kit for Smartball				
Please note - Whale bilge pumps adhere to ISO15083													



We are passionate about delivering quality, service and innovation

Marine Bilge Pumps Selection Tables





The Experts in Bilge Systems



From the iconic Gusher range to the original low profile Supersub Bilge pump, Whale has led the way for many decades with ground breaking pump and water system designs through to recent innovative leaps in electronically controlled systems.

This handy and simple to use guide covers our full range of Manual and Electric bilge pumps, making it easy to find the right bilge pump for you!



Whale has always put quality first, with a focus on high quality manufacturing and expertise in technology, and as a UK manufacturer, we aim to provide best in class service from our base in Bangor, Northern Ireland, and through our worldwide distribution network.

For further information:
info@whalepumps.com or www.whalepumps.com



Copyright Whale ©2018

All rights reserved. Reproduction in whole or in part without permission is prohibited. WHALE is a registered trademark of Munster Simms Engineering Limited, Bangor, Northern Ireland trading as Whale. Whale's policy is one of continuous improvement and we reserve the right to change specifications without prior notice. Neither the accuracy nor completeness of the information contained in this or any product literature is guaranteed by the Company and may be subject to change at its sole discretion. Illustrations are for guidance purposes only.

Whale Electric Bilge Pump Range

		Low profile, Narrow Submersibles					Compact and Powerful Vertically Stacked Submersibles						Remote Mounted	
1. Select Boat Type (by length)	0 - 6m (0 - 20 ft)	✓	✓	✓			✓	✓					✓	
	6 - 12m (20ft - 40ft)			✓	✓	✓		✓	✓	✓	✓	✓	✓	
	12 - 24m (40ft - 80ft)				✓	✓			✓	✓	✓	✓		
2. Flow Rate & Design	Open Flow Rate	500 US GPH 32 ltrs/min	650 US GPH 40 ltrs/min	650 US GPH 40 ltrs/min	1050 US GPH 66 ltrs/min	1050 US GPH 66 ltrs/min	500 US GPH 32 ltrs/min	950 US GPH 59 ltrs/min	1300 US GPH 82 ltrs/min	1300US GPH 82 ltrs/min	2000 US GPH 126 ltrs/min	3000 US GPH 189 ltrs/min	300 US GPH 19 ltrs/min	
	Orientation	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Remote Mounted	
	Version Please note - Standard versions require a separate bilge switch	Standard	Standard	Automatic	Standard	Automatic	Standard	Standard	Standard	Automatic	Standard	Standard	Automatic	
3. Select Pump Model	Images (Not to Scale)													
	Product Description	Supersub 500	Supersub 650	Supersub Smart 650	Supersub 1100	Supersub Smart 1100	Orca 500	Orca 950	Orca 1300	Orca Auto 1300	Orca 2000	Orca 3000	Bilge IC	
	Product Code	12 V	032365	special order	032365	032370	032366	032325	032326	032327	032329	032331	032333	special order
		24 V	/	/	/	032371	032367	/	/	032328	032330	032332	032334	special order
	Outlet Size	3/4"	3/4" & 1" stepped ports	3/4" & 1" stepped ports	1" & 1 1/2" stepped ports	1" & 1 1/2" stepped ports	3/4"	1" & 1 1/2" stepped ports	1" & 1 1/2" stepped ports	1" & 1 1/2" stepped ports	1 1/2"	1 1/4"	3/4" & 1" stepped ports	
Accessories - Complete Your System	032352 Float Switch 032351 Electric Field Sensor 032459 Non Return Valve	032352 Float Switch 032351 Electric Field Sensor		032352 Float Switch 032351 Electric Field Sensor		032352 Float Switch 032351 Electric Field Sensor 032459 Non Return Valve	032352 Float Switch 032351 Electric Field Sensor 032459 Non Return Valve	032352 Float Switch 032351 Electric Field Sensor 032459 Non Return Valve	032352 Float Switch 032351 Electric Field Sensor 032459 Non Return Valve	032459 Non Return Valve	032351 Electric Field Sensor 032459 Non Return Valve	032351 Electric Field Sensor 032459 Non Return Valve		

Yellow columns indicate a pump has integrated Intelligent Control technology and is an automatic pump.
 Blue columns indicate a standard model that requires a separate switch.